

## Enterprise HD IP Phone

### —Wi-Fi & Bluetooth IP Phone UC921E

UC921E is an innovative color IP phone with built-in Bluetooth module and 2.4G Wi-Fi module, covering all scenes. It supports up to 5-way conference. UC921E delivers superior HD audio quality, rich and leading-edge telephony features, all the functions of software are the same as other models. It is a perfect choice for small to medium businesses looking for a high quality, feature rich IP Phone at an affordable cost.



### Key Features and Benefits

#### 1. HD Audio

UC921E not only upgrades its hardware such as handset, hands-free components and headset, but also supports Opus and other sound codecs, creating a clearer voice, and achieving HD sound quality under different network bandwidths, making remote communication close at hand and helping your team to more smoothly.

#### 2. Industry-leading Connectivity

UC921E has a built-in Bluetooth 4.2 module and supports Bluetooth headsets, free from limits of wires. At the same time, it has built-in 2.4GHz Wi-Fi, needs no network cables and realizes swift deployment.

#### 3. Friendly User-experience

UC921E presents users with visual experience through a 2.8-inch color LCD screen with backlight, and supports a large number of features, such as XML Browser, SCA, BLF List, call forward, call transfer, 5-way conferencing; through 12 DSS keys, it effectively saves operating time and achieves efficient office work, to meet the modern paperless office trend.

#### 4. Efficient Installation and Provisioning

You can use Htek RPS (Redirection and Provisioning Service) to achieve fast and efficient deployment. Users do not need to manually configure and upgrade the phone; instead, just power on and connect to the Internet, and the phone can be automatically deployed, saving a lot of time and cost, and realizing "Zero Touch Provisioning" in the true sense. In addition, it supports advanced tools such as Htek Device Management System (HDMS), so firmware update and device management can also be completed through remote operation, making the phone easy to use, easy to deploy, and easy to manage.

- 2.8" 320x240 pixel color display with backlight
- 4 SIP accounts, 6 feature keys, 4 line keys
- Support up to 12 paperless DSS keys
- Local phonebook up to 1000 entries
- Support Opus Codec
- HD Voice: HD Codec, HD Speaker, HD Handset
- Dual-port 10/100M Ethernet, PoE support
- 5-way conferencing
- Built-in 2.4GHz Wi-Fi
- Built-in Bluetooth 4.2
- Stand with one angle at 40°, wall mountable
- Support HDMS

# Specifications



## Phone Features

- 4 SIP accounts
- Call hold, mute, DND
- One-touch speed dial, hotline
- Call forward, call waiting, call transfer
- Redial, call return, auto answer, direct IP call
- 5-way conferencing
- Group listening, SMS, emergency call
- Ring tone selection/provisioning
- Set date time automatically or manually
- Dial plan per account
- RTCP-XR (RFC3611), VQ-RTCPXR (RFC6035)
- Action URL/URI

## Audio Features

- HD Voice: HD Speaker, HD Handset, HD codec
- Codecs: iLBC, G.722, G.711(A/μ), Opus, G.723.1, G.729AB, G.726-32
- DTMF: In-band, RFC 2833, SIP INFO
- Full-duplex hands-free speakerphone with AEC
- AEC, VAD, AGC, CNG, PLC, AJB

## Directory

- Local phonebook up to 1000 entries
- XML/LDAP remote phonebook
- Intelligent search method
- Phonebook search/import/export
- Call history: dialed/received/missed/forwarded
- Black list

## IP-PBX Features

- Busy Lamp Field (BLF)
- Bridged Line Appearance (BLA)
- Anonymous call, anonymous call rejection
- Voice mail
- Intercom, paging
- Call park, call pickup
- Music on hold
- Hot-desking
- Flexible seating
- Call recording

## Display and Indicator

- 2.8" 320x240 pixel color LCD with backlight
- LED for call and message waiting indication
- Illuminated LEDs for line status information
- Intuitive user interface with icons and soft keys
- National language selection
- Caller ID with name, number

## Feature keys

- 4 line keys with LED
- 4 line keys can be programmed up to 12 paperless DSS keys (4-page view)
- 6 feature keys: mute, headset, message transfer, redial, speaker
- 4 context-sensitive soft keys
- 5 Navigation keys and volume control keys

## Interface

- Dual-port 10/100M Ethernet
- Power over Ethernet (IEEE 802.3af), class 2
- 1xRJ9 (4P4C) handset port
- 1xRJ9 (4P4C) headset port

## Physical Features

- Stand with one angle at 40°
- Wall mountable
- External universal AC adapter: AC 100~240V input and DC 5V/1.2A output
- Power consumption (PSU): 1.8~4.4W
- Power consumption (PoE): 2.3~5.3W
- Operating humidity: 10~95%
- Operating temperature: -10~50°C

## Management

- Configuration: browser/LCD-Menu/auto-provision
- Auto provision via HTTP/HTTPS/FTP/TFTP
- Auto-provision with PnP
- Reset to factory, reboot
- Local tracing log export, system log
- Phone lock for personal privacy protection

## Wi-Fi/Bluetooth

- Built-in Wi-Fi:
  - Network Standard: IEEE802.11b/g/n
  - Transmission Rate: Up to 150 Mbps
  - Frequency Range: 2.4GHz
- Built-in Bluetooth:
  - Bluetooth specification: V4.2+HSsystem
  - Enhanced Data Rate (EDR) compliant for both 2Mbps and 3Mbps supported
  - Bluetooth frequency range: 2.402GHz-2.480GHz
  - Compatible with Bluetooth specification V4.2,
  - Backward compatible with Bluetooth 1.1 1.2 2.0 and 3.0 for wide-ranging use


## Network and Security

- SIP v1 (RFC2543), v2 (RFC3261)
- SIP server/proxy redundancy
- NAT Traversal: STUN mode
- IP assignment: static/DHCP
- HTTP/HTTPS web server
- Time and date synchronization using SNTP
- DNS-NAPTR/DNS-SRV(RFC 3263)
- QoS: 802.1p/Q tagging (VLAN), Layer 3 ToS DSCP
- Transport Layer Security(TLS1.2), SRTP, ZRTP
- HTTPS certificate manager
- AES encryption for configuration file
- Digest authentication using MD5/MD5-sess
- IEEE802.1X/OpenVPN
- IPv4/IPv6, LLDP/CDP/DHCP VLAN

## Package Features

- Package content:
  - Phone Device\*1pcs
  - Footstand\*1pcs
  - Handset\*1pcs
  - Handset Cord\*1pcs
  - Ethernet Cable\*1pcs
  - Quick Reference Manual
  - Power Adapter (Optional)
- Qty/CTN:15pcs
- N.W/CTN:12.56kg
- G.W/CTN:13.61kg
- Phonebox Size:187mm(L)\*198mm(W)\*90mm(H)
- Carton Meas:585mm(L)\*475mm(W)\*220mm(H)

## Compliance



## Learn More

To find out how Htek solutions can help your organization, visit us at [www.htek.com](http://www.htek.com) or mail to [sales@htek.com](mailto:sales@htek.com).



## About Htek

Htek is a world-class designer and manufacturer of enterprise IP phones and gateways. Since 2005, Htek (aka Hanlong Technology) has provided customers in over 90 countries worldwide with high-quality VoIP products. Htek's UC900U series IP phones continue the tradition by focusing on cutting-edge features, broad SIP compatibility, great value, and an industry-leading warranty. Htek distributes its products via channel partners, and custom designs and rebrands products for large partners such as ITSPs. Nanjing Hanlong Technology Co., Ltd. is a private company headquartered in Nanjing, China, with offices in LATAM, North America and Europe.

## Copyright © 2022 NANJING HANLONG TECHNOLOGY CO., LTD.

Copyright © 2022 Nanjing Hanlong Technology Co., Ltd. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Nanjing Hanlong Technology Co., Ltd.

## Technical Support

Visit Htek official website (<http://www.htek.com/>) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Htek support system (<http://support.htek.com/>) to submit all your technical issues.



## NANJING HANLONG TECHNOLOGY CO., LTD.

Tel: 0086-25-84658050 | Fax: 0086-25-84658319 | Mail: [support@htek.com](mailto:support@htek.com) | Web: [www.htek.com](http://www.htek.com)

Add: 5th Floor, Building No.1, Huashen TechPark, No.10 Huashenmiao, Yuhuatai District, Nanjing, 210012, China

Copyright: ©2022 Nanjing Hanlong Technology Co., Ltd. All rights reserved.